Biol. Chem., Vol. 386, pp. 1329–1335, December 2005 · Copyright © by Walter de Gruyter · Berlin · New York. DOI 10.1515/BC.2005.153

Contents
Biological Chemistry, Volume 386, 2005

Guest Editorials

Signaling in Biochemical Pharmacology and Toxicology 191

Highlight: Molecular Machines 711

Highlight: Radicals in Enzymatic Catalysis 949

Highlight: RNA Biochemistry 1203

Paper of the Year 2004 815

Reviews

Agmon, I., A. Bashan, R. Zarivach and A. Yonath
Symmetry at the active site of the ribosome: structural and functional implications 833

Barthel A. and L.-O. Klotz
Phosphoinositide 3-kinase signaling in the cellular response to oxidative stress 207

Bennati, M., F. Lendzian, M. Schmittel and H. Zipse
Spectroscopic and theoretical approaches for studying radical reactions in class I ribonucle tide reductase 1007

Boll, M. and G. Fuchs
Unusual reactions involved in anaerobic metabolism of phenolic compounds 989

Boll, M., B. Schink, A. Messerschmidt and P.M.H. Kroneck
Novel bacterial molybdenum and tungsten enzymes: three-dimensional structure, spectroscopy, and reaction mechanism 999

Buckel, W., B.M. Martins, A. Messerschmidt and B.T. Golding
Radical-mediated dehydration reactions in anaerobic bacteria 951

Chaudhuri, P., K. Wieghardt, T. Weyhermüller, T.K. Paine, S. Mukherjee and C. Mukherjee
Biomimetic metal-radical reactivity: aerial oxidation of alcohols, amines, aminophenols and catechols catalyzed by transition metal complexes 1023

Chen, P.Y. and G. Meister
microRNA-guided posttranscriptional gene regulation 1205

Galili, G., R. Amir, R. Hoefgen and H. Hesse
Improving the levels of essential amino acids and sulfur metabolites in plants 817

Giehl, K.
Oncogenic Ras in tumour progression and metastasis 193

Hedderich, R., N. Hamann and M. Bennati
Heterodisulfide reductase from methanogenic archaea: a new catalytic role for an iron-sulfur cluster 961

Kurakin, A
Self-organization versus Watchmaker: stochastic dynamics of cellular organization 247

Layer, G., E. Kervio, G. Morlock, D.W. Heinz, D. Jahn, J. Retey and W.-D. Schubert
Structural and functional comparison of HemN to other radical SAM enzymes 971

Schmidt, M., J. Hanna, S. Elsasser and D. Finley
Proteasome-associated proteins: regulation of a proteolytic machine 725

Selmer, T., A.J. Pierik and J. Heider
New glycyl radical enzymes catalysing key metabolic steps in anaerobic bacteria 981

Vogel, A., O. Schilling, B. Späth and A. Marchfelder
The tRNase Z family of proteins: physiological functions, substrate specificity and structural properties 1253

Vogel, J. and C.M. Sharma
How to find small noncoding RNAs in bacteria 1219

Will, C.L. and R. Lührmann
Splicing of a rare class of introns by the U12-dependent spliceosome 713

Wilson, D.N., J.M. Harms, K.H. Nierhaus, F. Schlünzen and P. Fucini
Species-specific antibiotic-ribosome interactions: implications for drug development 1239

Minireviews

Eberharter, A., R. Ferreira and P. Becker
Dynamic chromatin: concerted nucleosome remodelling and acetylation 745

Friedrich, P. and Z. Bozóky
Digestive versus regulatory proteases: on calpain action *in vivo* 609

Hui, J. and A. Bindereif
Alternative pre-mRNA splicing in the human system: unexpected role of repetitive sequences as regulatory elements 1265

Weibezahn, J., C. Schlieker, P. Tessarz, A. Mogk and B. Bukau
Novel insights into the mechanism of chaperone-assisted protein disaggregation 739

Willkomm, D.K. and R.K. Hartmann
6S RNA – an ancient regulator of bacterial RNA polymerase rediscovered 1273

Research Articles/Short Communications

Genes and Nucleic Acids

Aceto, S., A. Di Maro, B. Conforto, G.G. Siniscalco, A. Parente, P. Delli Bovi and L. Gaudio
Nicking activity on pBR322 DNA of ribosome inactivating proteins from *Phytolacca dioica* L. leaves 307

Al Sarraj, J., C. Vinson and G. Thiel
Regulation of asparagine synthetase gene transcription by the basic region leucine zipper transcription factors ATF5 and CHOP 873

Burk, O., K.A. Arnold, A. Geick, H. Tegude and M. Eichelbaum
A role for constitutive androstane receptor in the regulation of human intestinal *MDR1* expression ...503

Cramer, M., I. Nagy, B.J. Murphy, M. Gassmann, M.O. Hottiger, O. Georgiev and W. Schaffner
NF-κB contributes to transcription of placenta rowth factor and interacts with metal responsive transcription factor-1 in hypoxic human cells 865

Cruciani, V and S.-O. Mikalsen
The *connexin* gene family in mammals 325

Di Valentin, E., S. Bontems, L. Habran, O. Jolois, N. Markine-Goriaynoff, A. Vanderplasschen, C. Sadzot-Delvaux and J. Piette
Varicella-zoster virus IE63 protein represses the basal transcription machinery by disorganizing the pre-initiation complex 255

Gowrishankar, G., R. Winzen, F. Bollig, B. Ghebremedhin, N. Redich, B. Ritter, K. Resch, M. Kracht and H. Holtmann
Inhibition of mRNA deadenylation and degradation by ultraviolet light 1287

Hillebrand, A., R. Wurm, A. Menzel and R. Wagner
The seven *E. coli* ribosomal RNA operon upstream regulatory regions differ in structure and transcription factor binding efficiencies 523

Hofer, T., C. Badouard, E. Bajak, J.-L. Ravanat, Å. Mattsson and I.A. Cotgreave
Hydrogen peroxide causes greater oxidation in cellular RNA than in DNA 333

Ilyushik, E., D.W. Pryce, D. Walerych, T. Riddell, J.A. Wakeman, C.J. McInerny and R.J. McFarlane
Psc3 cohesin of *Schizosaccharomyces pombe*: cell cycle analysis and identification of three distinct isoforms 613

Merino, V.F., J.A. Silva Jr., R.C. Araújo, M.C.W. Avellar, J.-L. Bascands, J.P. Schanstra, A.C.M. Paiva, M. Bader and J.B. Pesquero
Molecular structure and transcriptional regulation by nuclear factor-κB of the mouse kinin B_1 receptor gene 515

Neth, P., M. Arnhold, V. Sidarovich, K.D. Bhoola and E. Fink
Expression of the plasma prekallikrein gene: utilization of multiple transcription start sites and alternative promoter regions 101

Smith, A.E.F., F. Farzaneh and K.G. Ford
Single zinc-finger extension: enhancing transcriptional activity and specificity of three-zinc-finger proteins 95

Sok, A.J., K. Czajewska, A. Ożyhar and M. Kochman
The Structure of the juvenile hormone binding protein gene from *Galleria mellonella* 1

Van Kuilenburg, A.B.P., R. Meinsma, E. Beke, B. Bobba, P. Boffi, G.M. Enns, D.R. Witt and D. Dobritzsch
Identification of three novel mutations in the dihydropyrimidine dehydrogenase gene associated with altered pre-mRNA splicing or protein function 319

Waldminghaus, T., A. Fippinger, J. Alfsmann and F. Narberhaus
RNA thermometers are common in α- and γ-proteobacteria 1279

Werk, D., S. Schubert, V. Lindig, H.-P. Grunert, H. Zeichhardt, V.A. Erdmann and J. Kurreck
Developing an effective RNA interference strategy against a plus-strand RNA virus: silencing of coxsackievirus B3 and its cognate coxsackievirus-adenovirus receptor 857

Protein Structure and Function

Abdel-Wahab, Y.H.A., L. Marenah, D.F. Orr, C. Shaw and P.R. Flatt
Isolation and structural characterisation of a novel 13-amino acid insulin-releasing peptide from the skin secretion of *Agalychnis calcarifer* 581

Akoachere, M., R. Iozef, S. Rahlfs, M. Deponte, B. Mannervik, D.J. Creighton, H. Schirmer and K. Becker
Characterization of the glyoxalases of the malarial parasite *Plasmodium falciparum* and comparison with their human counterparts 41

Araújo, A.P.U., D. Hansen, D.F. Vieira, C. de Oliveira, L.A. Santana, L.M. Beltramini, C.A.M. Sampaio, M.U. Sampaio and M.L.V. Oliva
Kunitz-type *Bauhinia bauhinioides* inhibitors devoid of disulfide bridges: isolation of the cDNAs, heterologous expression and structural studies ...561

Caffrey, C.R., L. Placha, C. Barinka, M. Hradilek, J. Dostál, M. Sajid, J.H. McKerrow, P. Majer, J. Konvalinka and J. Vondrášek
Homology modeling and SAR analysis of *Schistosoma japonicum* cathepsin D (SjCD) with statin inhibitors identify a unique active site steric barrier with potential for the design of specific inhibitors 339

Catharino, S., J. Buchner and S. Walter
Characterization of oligomeric species in the fibrillization pathway of the yeast prion Ure2p 633

Chu, K.T. and T.B. Ng
Purification and characterization of a chitinase-like antifungal protein from black turtle bean with stimulatory effect on nitric oxide production by macrophages 19

Deponte, M., K. Becker and S. Rahlfs
Plasmodium falciparum glutaredoxin-like proteins 33

Dihazi, H., R. Kessler, G.A. Müller and K. Eschrich
Lysine 3 acetylation regulates the phosphorylation of yeast 6-phosphofructo-2-kinase under hypo-osmotic stress 895

Eberth, A., R. Dvorsky, C.F.W. Becker, A. Beste, R.S. Goody and M.R. Ahmadian
Monitoring the real-time kinetics of the hydrolysis reaction of guanine nucleotide-binding proteins 1105

Farkasovsky, M., P. Herter, B. Voß and A. Wittinghofer
Nucleotide binding and filament assembly of recombinant yeast septin complexes 643

Fenoll, L.G., F. García-Molina, M.A. Gilabert, R. Varón, P.A. García-Ruiz, J. Tudela, F. García-Cánovas and J.N. Rodríguez-López
Interpretation of the reactivity of peroxidase compound II with phenols and anilines using the Marcus equation 351

Fischer, M., I. Haase, R. Feicht, N. Schramek, P. Köhler, P. Schieberle and A. Bacher
Evolution of vitamin B_2 biosynthesis: riboflavin synthase of *Arabidopsis thaliana* and its inhibition by riboflavin 417

Ganea, E. and J.J. Harding
Trehalose and 6-aminohexanoic acid stabilize and renature glucose-6-phosphate dehydrogenase inactivated by glycation and by guanidinium hydrochloride 269

Hahnefeld, C., D. Moll, M. Goette and F.W. Herberg
Rearrangements in a hydrophobic core region mediate cAMP action in the regulatory subunit of PKA 623

Happel, N., E. Schulze and D. Doenecke
Characterisation of human histone H1x 541

Illarionov, B., I. Haase, M. Fischer, A. Bacher and N. Schramek
Pre-steady-state kinetic analysis of riboflavin synthase using a pentacyclic reaction intermediate as substrate 127

Jung, C., V. Schünemann, F. Lendzian, A.X. Trautwein, J. Contzen, M. Galander, L.H. Böttger, M. Richter and A.-L. Barra
Spectroscopic characterization of the iron-oxo intermediate in cytochrome P450 1043

Krause-Buchholz, U., K. Schöbel, S. Lauffer and G. Rödel
Saccharomyces cerevisiae translational activator Cbs1p is associated with translationally active mitochondrial ribosomes 407

Lamkemeyer, T., R.J. Paul, W. Stöcker, I. Yiallouros and B. Zeis
Macromolecular isoforms of *Daphnia magna* haemoglobin 1087

Leal, S.S. and C.M. Gomes
Linear three-iron centres are unlikely cluster degradation intermediates during unfolding of iron-sulfur proteins 1295

Leffers, K.-W., H. Wille, J. Stöhr, E. Junger, S.B. Prusiner and D. Riesner
Assembly of natural and recombinant prion protein into fibrils 569

Leukert, N., C. Sorg and J. Roth
Molecular basis of the complex formation between the two calcium-binding proteins S100A8 (MRP8) and S100A9 (MRP14) 429

Liu, X. and H. Bisswanger
Interaction of thiamin diphosphate with phosphorylated and dephosphorylated mammalian pyruvate dehydrogenase complex 11

Longu, S., A. Padiglia, J.Z. Pedersen, A. Finazzi Agrò, A. Mura, P. Maccioni, G. Floris and R. Medda
Nitric oxide covalently labels a 6-hydroxydopa-derived free radical intermediate in the catalytic cycle of copper/quinone-containing amine oxidase from lentil seedlings 25

Ma, Q.-H. and B. Tian
Biochemical characterization of a cinnamoyl-CoA reductase from wheat 553

Müller, I.B., R.D. Walter and C. Wrenger
Structural metal dependency of the arginase from the human malaria parasite *Plasmodium falciparum* 117

Nickel, C., M. Trujillo, S. Rahlfs, M. Deponte, R. Radi and K. Becker
Plasmodium falciparum 2-Cys peroxiredoxin reacts with plasmoredoxin and peroxynitrite 1129

Schlieker, C., H. Zentgraf, P. Dersch and A. Mogk
ClpV, a unique Hsp100/Clp member of pathogenic proteobacteria 1115

Schmidt-Schultz, T.H. and M. Schultz
Intact growth factors are conserved in the extracellular matrix of ancient human bone and teeth: a storehouse for the study of human evolution in health and disease 767

Sherman, W.A., G.E. Blouse, M.J. Perron, T. Tran, J.D. Shore and A. Gafni
Enthalpy measurement using calorimetry shows a significant difference in potential energy between the active and latent conformations of PAI-1 111

Than, M.E., G.P. Bourenkov, S. Henrich, K. Mann and W. Bode
The NC1 dimer of human placental basement membrane collagen IV: does a covalent crosslink exist? 759

Valbuena, J., R. Vera, A. Puentes, M. Ocampo, J. Garcia, H. Curtidor, R. Lopez, L. Rodriguez, J. Rosas, J. Cortes, M. Forero, M. Pinto and M.E. Patarroyo
P. falciparum pro-histoaspartic protease (proHAP) protein peptides bind specifically to erythrocytes and inhibit the invasion process *in vitro* 361

van der Kraan, M.I.A., K. Nazmi, A. Teeken, J. Groenink, W. van 't Hof, E.C.I. Veerman, J.G.M. Bolscher and A.V. Nieuw Amerongen
Lactoferrampin, an antimicrobial peptide of bovine lactoferrin, exerts its candidacidal activity by a cluster of positively charged residues at the C-terminus in combination with a helix-facilitating N-terminal part ..137

Vopel, S., H. Mühlbach and A. Skerra
Rational engineering of a fluorescein-binding anticalin for improved ligand affinity 1097

Welfle, K., F. Pratto, R. Misselwitz, J. Behlke, J.C. Alonso and H. Welfle
Role of the N-terminal region and of β-sheet residue Thr29 on the activity of the ω_2 global regulator from the broad-host range *Streptococcus pyogenes* plasmid pSM19035 881

Werner, A., K.-H. Röhm and H.-J. Müller
Mapping of B-cell epitopes in *E. coli* asparaginase II, an enzyme used in leukemia treatment 535

Yoshinaga, Y., K. Nakatome, J. Nozaki, M. Naitoh J. Hoseki, H. Kubota, K. Nagata and A. Koizumi
Proinsulin lacking the A7-B7 disulfide bond, $Ins2^{Akita}$, tends to aggregate due to the exposed hydrophobic surface 1077

Zorn, H., H. Bouws, M. Takenberg, M. Nimtz, R. Getzlaff, D.E. Breithaupt and R.G. Berger
An extra-cellular carboxylesterase from the basidiomycete *Pleurotus sapidus* hydrolyses xanthophyli ester 435

Membranes, Lipids, Glycobiology

Bakker, H., B. Kleczka, R. Gerardy-Schahn and F.H. Routier
Identification and partial characterization of two eukaryotic UDP-galactopyranose mutases 657

Carvalho de Souza, A., A. van Remoortere, C.H Hokke, A.M. Deelder, J.F.G. Vliegenthart and J.P. Kamerling
Determination of the specificity of monoclonal antibodies against *Schistosoma mansoni* CAA glycoprotein antigen using neoglycoconjugate variants 901

Dergunov, A.D., A.V. Novoselov, S. Visvikis, G. Siest, V.V. Yakushkin and V. Tsibulsky
The composition, structural properties and binding of very low density lipoproteins and low density lipoproteins to the LDL receptor in normo- and hypertriglyceridemia: relation to the apolipoprotein E phenotype 441

Desmaret, S., L. Qian, B. Vanloo, K. Meerschaert, J. Van Damme, J. Grooten, J. Vandekerckhove, G.D. Prestwich and J. Gettemans
Lysophosphatidic acid affinity chromatography reveals pyruvate kinase as a specific LPA-binding protein 1137

Dumpitak, C., M. Beekes, N. Weinmann, S. Metzger, K.F. Winklhofer, J. Tatzelt and D. Riesner
The polysaccharide scaffold of PrP 27-30 is a common compound of natural prions and consists of α-linked polyglucose 1149

Molecular Medicine

Bureik, M., A. Mion, C.J. Kenyon and R. Bernhardt
Inhibition of aldosterone biosynthesis by staurosporine 663

Groneberg, D.A., C. Peiser, P.R. Eynott, P. Welker, R. Erbes, C. Witt, K.F. Chung and A. Fischer
Transcriptional down-regulation of neurotrophin-3 in chronic obstructive pulmonary disease 53

Jenne, D.E., R.A. Kley, M. Vorgerd, J.M. Schröder, J. Weis, H. Reimann, B. Albrecht, P. Nürnberg, H. Thiele, C.R. Müller, G. Meng, C.C. Witt and S. Labeit
Limb girdle muscular dystrophy in a sib pair with a homozygous Ser606Leu mutation in the alternatively spliced IS2 region of calpain 3 61

Meyer, R.P., R.L.P. Lindberg, F. Hoffmann and U.A. Meyer
Cytosolic persistence of mouse brain CYP1A1 in chronic heme deficiency 1157

Cell Biology and Signaling

Abdelmohsen, K., C. von Montfort, D. Stuhlmann, P.A. Gerber, U.K.M. Decking, H. Sies and L.-O. Klotz
Doxorubicin induces EGF receptor-dependent downregulation of gap junctional intercellular communication in rat liver epithelial cells 217

Breidert, S., R. Jacob, A. Ngezahayo, H.-A. Kolb and H.Y. Naim
Trafficking pathways of Cx49-GFP in living mammalian cells 155

Derouet-Hümbert, E., K. Roemer and M. Bureik
Adrenodoxin (Adx) and CYP11A1 (P450scc) induce apoptosis by the generation of reactive oxygen species in mitochondria 453

Dobreva, I., O. Zschörnig, G. Waeber, R.W. James and C. Widmann
Cholesterol is the major component of native lipoproteins activating the p38 mitogen-activated protein kinases 909

Döring, F., R. Schmitt, W.M. Bernhardt, M. Klapper, S. Bachmann, H. Daniel and D.A. Groneberg
Hypothyroidism induces expression of the peptide transporter PEPT2 785

Fulgosi, H., H. Lepeduš, V. Cesar and N. Ljubešić
Differential accumulation of plastid preprotein translocon components during spruce (*Picea abies* L. Karst.) needle development 777

Hart, S., O.M. Fischer, N. Prenzel, E. Zwick-Wallasch, M. Schneider, L. Hennighausen and A. Ullrich
GPCR-induced migration of breast carcinoma cells depends on both EGFR signal transactivation and EGFR-independent pathways 845

Imamichi, Y., O. Waidmann, R. Hein, P. Eleftheriou, K. Giehl and A. Menke
TGFβ-induced focal complex formation in epithelial cells is mediated by activated ERK and JNK MAP kinases and is independent of Smad4 225

Irwin, N., V.A. Gault, B.D. Green, B. Greer, P. Harriott, C.J. Bailey, P.R. Flatt and F.P.M. O'Harte
Antidiabetic potential of two novel fatty acid derivatised, N-terminally modified analogues of glucose-dependent insulinotropic polypeptide (GIP): *N*-AcGIP(LysPAL^{16}) and *N*-AcGIP(LysPAL^{37}) 679

Kagemann, G., B. Henrich, M. Kuhn, H. Kleinert and O. Schnorr
Impact of *Mycoplasma hyorhinis* infection on L-arginine metabolism: differential regulation of the human and murine iNOS gene 1055

Komolov, K.E., D.V. Zinchenko, V.A. Churumova, S.A. Vaganova, O.H. Weiergräber, I.I. Senin, P.P. Philippov and K.-W. Koch
One of the Ca^{2+} binding sites of recoverin exclusively controls interaction with rhodopsin kinase 285

Lienau, J., C. Kaletta, M. Teifel, K. Naujoks, K. Bhoola and J. Plendl
Morphology and transfection study of human microvascular endothelial cell angiogenesis: an *in vitro* three-dimensional model 167

Ludwig-Müller, J., S.V. Tokalov, A. Franz and H.O. Gutzeit
Quercetin metabolism in vital and apoptotic human leukaemia cells 279

Moodley, R., C. Snyman, B. Odhav and K.D. Bhoola
Visualisation of transforming growth factor-β1, tissue kallikrein, and kinin and transforming growth factor-β receptors on human clear cell renal carcinoma cells 375

Nieva, C., T. Gwóźdź, J. Dutko-Gwóźdź, J. Wiedenmann, M. Spindler-Barth, E. Wieczorek, J. Dobrucki, D. Duś, V. Henrich, A. Ożyhar and K.-D. Spindler
Ultraspiracle promotes nuclear localization of ecdysteroid receptor in mammalian cells 463

Oberle, C., U. Massing and H.F. Krug
On the mechanism of alkylphosphocholine (APC)-induced apoptosis in tumour cells 237

Osanai, K., K. Takahashi, K. Nakamura, M. Takahashi, M. Ishigaki, T. Sakuma, H. Toga, T. Suzuki and D.R. Voelker
Expression and characterization of Rab38, a new member of the Rab small G protein family 143

Robubi, A., T. Mueller, J. Fueller, M. Hekman, U.R. Rapp and T. Dandekar
B-Raf and C-Raf signaling investigated in a simplified model of the mitogenic kinase cascade 1165

Rovida, E., B. Lugli, V. Barbetti, S. Giuntoli, M. Olivotto and P. Dello Sbarba
Focal adhesion kinase is redistributed to focal complexes and mediates cell spreading in macrophages in response to M-CSF 919

Schattner, M., M. Fritzen, J. de Souza Ventura, J.C. de Albuquerque Modesto, R.G. Pozner, A.M. Moura-da-Silva and A.M. Chudzinski-Tavassi
The snake venom metalloproteases berythractivase and jararhagin activate endothelial cells 369

Shen, H.C., G. Buchanan, L.M. Butler, J. Prescott, M. Henderson, W.D. Tilley and G.A. Coetzee
GRIP1 mediates the interaction between the amino- and carboxyl-termini of the androgen receptor 69

Teber, I., F. Nagano, J. Kremerskothen, K. Bilbilis, B. Goud and A. Barnekow
Rab6 interacts with the mint3 adaptor protein 671

Thomadaki, H., C.M. Tsiapalis and A. Scorilas
Polyadenylate polymerase modulations in human epithelioid cervix and breast cancer cell lines, treated with etoposide or cordycepin, follow cell cycle rather than apoptosis induction 471

Townley, H.E., K. McDonald, G.I. Jenkins, M.R. Knight and C.J. Leaver
Ceramides induce programmed cell death in *Arabidopsis* cells in a calcium-dependent manner . . .161

Wessler, S., P. Muenzner, T.F. Meyer and M. Naumann
The anti-inflammatory compound curcumin inhibits *Neisseria gonorrhoeae*-induced NF-κB signaling, release of pro-inflammatory cytokines/chemokines and attenuates adhesion in late infection 481

Proteolysis

Avrutina, O., H.-U. Schmoldt, D. Gabrijelcic-Geiger, D. Le Nguyen, C.P. Sommerhoff, U. Diederichsen and H. Kolmar
Trypsin inhibition by macrocyclic and open-chain variants of the squash inhibitor MCoTI-II 1301

de Souza, A.F., R.J.S. Torquato, A.S. Tanaka and C.A.M. Sampaio
Cloning, expression and characterization of *Bauhinia variegata* trypsin inhibitor BvTI 1185

Di Gennaro, S., A.G. Ficca, D. Panichi and E. Poerio
cDNA cloning and heterologous expression of a wheat proteinase inhibitor of subtilisin and chymotrypsin (WSCI) that interferes with digestive enzymes of insect pests 383

Dostál, J., H. Dlouhá, P. Maloň, I. Pichová and O. Hrušková-Heidingsfeldová
The precursor of secreted aspartic proteinase Sapp1p from *Candida parapsilosis* can be activated both autocatalytically and by a membrane-bound processing proteinase 791

Felber, L.M., C.A. Borgoño, S.M. Cloutier, C. Kündig, T. Kishi, J. Ribeiro Chagas, P. Jichlinski, C.M. Gygi, H.-J. Leisinger, E.P. Diamandis and D. Deperthes
Enzymatic profiling of human kallikrein 14 using phage display substrate technology 291

Florent, I., F. Lecaille, J.-J. Montagne, F. Gauthier, J. Schrevel and G. Lalmanach
Labelling of four distinct trophozoite falcipains of *Plasmodium falciparum* by a cystatin-derived probe .401

Fuentes, M.-E., R. Varón, M. García-Moreno and E. Valero
Kinetics of autocatalytic zymogen activation measured by a coupled reaction: pepsinogen autoactivation 689

Gandía-Herrero, F., M. Jiménez-Atiénzar, J. Cabanes, F. García-Carmona and J. Escribano
Evidence for a common regulation in the activation of a polyphenol oxidase by trypsin and sodium dodecyl sulfate 601

Gelhaus, C., R. Vicik, T. Schirmeister and M. Leippe
Blocking effect of a biotinylated protease inhibitor on the egress of *Plasmodium falciparum* merozoites from infected red blood cells 499

Ghosh, M., S. Shanker, I. Siwanowicz, K. Mann, W. Machleidt and T.A. Holak
Proteolysis of insulin-like growth factor binding proteins (IGFBPs) by calpain 85

Gregorc, U., S. Ivanova, M. Thomas, V. Turk, L. Banks and B. Turk
hDLG/SAP97, a member of the MAGUK protein family, is a novel caspase target during cell-cell detachment in apoptosis 705

Guyot, N., M.-L. Zani, P. Berger, S. Dallet-Choisy and T. Moreau
Proteolytic susceptibility of the serine protease inhibitor trappin-2 (pre-elafin): evidence for tryptase-mediated generation of elafin 391

Hejgaard, J.
Inhibitory plant serpins with a sequence of three glutamine residues in the reactive center 1319

Hook, V., T. Toneff, M. Bogyo, D. Greenbaum, K.F. Medzihradszky, J. Neveu, W. Lane, G. Hook and T. Reisine
Inhibition of cathepsin B reduces β-amyloid production in regulated secretory vesicles of neuronal chromaffin cells: evidence for cathepsin B as a candidate β-secretase of Alzheimer's disease 931

Horn, M., L. Dolečková-Marešová, L. Rulíšek, M. Máša, O. Vasiljeva, B. Turk, T. Gan-Erdene, M. Baudyš and M. Mareš
Activation processing of cathepsin H impairs recognition by its propeptide 941

Kita, M., Y. Okumura, S.D. Ohdachi, Y. Oba, M. Yoshikuni, Y. Nakamura, H. Kido and D. Uemura
Purification and characterisation of blarinasin, a new tissue kallikrein-like protease from the short-tailed shrew *Blarina brevicauda*: comparative studies with blarina toxin 177

Kühlkamp, T., V. Keitel, A. Helmer, D. Häussinger and R. Kubitz
Degradation of the sodium taurocholate cotransporting polypeptide (NTCP) by the ubiquitin-proteasome-system 1065

Meh, P., M. Pavšič, V. Turk, A. Baici and B. Lenarčič
Dual concentration-dependent activity of thyroglobulin type-1 domain of testican: specific inhibitor and substrate of cathepsin L 75

Mężyk-Kopeć, R., M. Bzowska, M. Bzowska, B. Mickowska, P. Mak, J. Potempa and J. Bereta
Effects of elastase and cathepsin G on the levels of membrane and soluble TNFα 801

Modesto, J.C.A., I.L.M. Junqueira-de-Azevedo, A.G.C. Neves-Ferreira, M. Fritzen, M.L.V. Oliva, P.L. Ho, J. Perales and A.M. Chudzinski-Tavassi
Insularinase A, a prothrombin activator from *Bothrops insularis* venom, is a metalloprotease derived from a gene encoding protease and disintegrin domains 589

Puzer, L., J. Vercesi, M.F.M. Alves, N.M.T. Barros, M.S. Araujo, M.A. Juliano, M.L. Reis, L. Juliano and A.K. Carmona
A possible alternative mechanism of kinin generation *in vivo* by cathepsin L 699

Puzer, L., S.S. Cotrin, M.H.S. Cezari, I.Y. Hirata, M.A. Juliano, I. Stefe, D. Turk, B. Turk, L. Juliano and A.K. Carmona
Recombinant human cathepsin X is a carboxymonopeptidase only: a comparison with cathepsins B and L 1191

Sawano, Y., K.-i. Hatano and M. Tanokura
Susceptibility of the interchain peptide of a bromelain inhibitor precursor to the target proteases bromelain, chymotrypsin, and trypsin 491

Schechter, N.M., E.-J. Choi, Z.-M. Wang, Y. Hanakawa, J.R. Stanley, Y. Kang, G.L. Clayman and A. Jayakumar
Inhibition of human kallikreins 5 and 7 by the serine protease inhibitor lympho-epithelial Kazal-type inhibitor (LEKTI) 1173

von Janowsky, B., K. Knapp, T. Major, M. Krayl, B. Guiard and W. Voos
Structural properties of substrate proteins determine their proteolysis by the mitochondrial AAA+ protease Pim1 1307

Yasuda, Y., K. Kohmura, T. Kadowaki, T. Tsukuba and K. Yamamoto
A new selective substrate for cathepsin E based on the cleavage site sequence of α2-macroglobulin .299

Novel Techniques

Berkessel, A., M. Dousset, S. Bulat and K. Glaubitz
Combinatorial approaches to functional models for galactose oxidase 1035

Romero-López, C., A. Barroso-delJesus, E. Puerta-Fernández and A. Berzal-Herranz
Interfering with hepatitis C virus IRES activity using RNA molecules identified by a novel *in vitro* selection method 183

Siess, A.A. and M.M. Hofstetter
Purification of Mg^{2+}-dependent phosphatidate phosphohydrolase from rat liver: new steps and aspects 1197

Stemp, M.J., S. Guha, F.U. Hartl and J.M. Barral
Efficient production of native actin upon translation in a bacterial lysate supplemented with the eukaryotic chaperonin TRiC 753

Errata

Erratum to the article 'Isolation and structural characterisation of a novel 13-amino acid insulin-releasing peptide from the skin secretion of *Agalychnis calcarifer*' 813

Erratum to the article 'Identification of three novel mutations in the dihydropyrimidine dehydrogenase gene associated with altered pre-mRNA splicing or protein function' 1075

Erratum to the article 'Inhibition of cathepsin B reduces β-amyloid production in regulated secretory vesicles of neuronal chromaffin cells: evidence for cathepsin B as a candidate β-secretase of Alzheimer's disease' 1325

Acknowledgment 1327

Author Index 1337

Subject Index 1341